

Appendix 15C: Grade 8 Mathematics Item Descriptions Developed During the TIMSS 2019 Benchmarking

Items at Low International Benchmark (400)

Number

M09_01 Recognizes a 7-digit number given in words

| | Items at Intermediate International Benchmark (475) |
|----------|--|
| Number | |
| M01_02A | Solves a word problem involving addition of time |
| M06_01 | Solves a word problem involving subtraction of negative numbers |
| M07_03 | Solves a two-step word problem involving whole numbers |
| M05_02 | Solves a word problem involving subtraction of negative numbers |
| M04_03 | Determines whether a series of decimals are greater than, less than, or equal to fractions (1 of 2 points) |
| M06_02 | Identifies equivalent ratios |
| M10_05 | Given a ratio, represents an equivalent ratio pictorially |
| Algebra | |
| M04_07A | Solves a word problem involving an inequality and explains answer |
| M08_08A | Extends a given geometric pattern to supply the value of the 7th term |
| Geometry | |
| M02_10 | Determines the value of an angle in an irregular quadrilateral given the values of the other angles |





| M14_10 | Identifies the reflections of irregular shapes |
|----------------|--|
| M11_11 | Determines the total number of stacked unit cubes |
| Data and Proba | ability |
| M05_12 | Finds and compares the unit prices of four objects |
| M05_14 | Identifies the bar graph that matches the information shown in a table |
| M07_12A | Compares data from two line graphs to solve a problem |
| M07_12B | Reads data from a line graph |
| M09_12A | Calculates mean and median for one ordered lists of data (1 of 2 points) |
| M13_11 | Evaluates information given by a time/distance graph |
| M01_12 | Solves a problem given the chance of an outcome |
| M03_14A | Estimates an expected value given an observed sample |
| | <u> </u> |

| | Items at High International Benchmark (550) |
|---------|--|
| Number | |
| M03_01 | Identifies an expression equivalent to a given division expression |
| M05_01 | Evaluates an expression involving negative whole numbers and parentheses |
| M05_05A | Solves a word problem involving multiplication and addition of whole numbers |
| M10_01 | Adds two numbers with different exponents and bases |
| M11_02 | Solves a word problem involving division of whole numbers with a remainder |
| · | |





| M14_01 | Identifies the number with the most factors |
|---------|--|
| M01_03 | Understands a property of adding multiples |
| M01_04 | Writes a decimal with three places as a fraction |
| M03_03 | Finds the missing value in an addition problem with both fractions and decimals |
| M04_03 | Determines whether a series of decimals are greater than, less than, or equal to fractions (2 of 2 points) |
| M05_04 | Given the two parts of a whole in a word problem, identifies the fraction which represents one part |
| M07_04 | Determines what fraction of a 10X10 grid is shaded |
| M13_02 | Solves a two-step word problem involving subtraction of whole numbers and multiplication of a fraction |
| M14_02 | Determines the numerator that makes two fractions equivalent |
| M01_01 | Identifies the representation of a fraction equivalent to a given representation of a fraction |
| M08_02 | Adds two decimals represented in words |
| M11_01 | Solves a word problem involving a fraction of a whole |
| M12_03 | Identifies a decimal equivalent to the sum of two fractions with denominators that are powers of ten |
| M04_04 | Solves a word problem involving a fraction of a whole |
| M02_04 | Solves a word problem involving a three-part ratio |
| M03_04 | Shades a percent of a figure |
| M10_04 | Solves a word problem involving ratios |
| M13_04 | Solves a word problem involving ratios and decimals |
| M14_04A | Determines a ratio to model a situation |
| | |



| M14_04B | Determines a ratio to model a situation |
|---------|--|
| M07_01 | In a word problem for dividing a given quantity in a given ratio, determines the quantity of one of the parts. |
| Algebra | |
| M01_06 | Identifies the equivalent algebraic expression involving exponents and multiplication |
| M02_07 | Solves a word problem involving evaluating a formula with exponents |
| M10_06 | Evaluates an expression with two variables |
| M10_09 | Solves a pair of simultaneous linear equations in two variables |
| M12_06 | Evaluates a formula with an exponent |
| M12_08 | Solves a word problem involving simultaneous linear equations in two variables |
| M14_05 | Identifies an expression that represents a situation |
| M14_06 | Solves a linear equation involving fractions |
| M14_07 | Solves a word problem involving evaluating a formula with two variables |
| M05_07 | Evaluates an algebraic expression involving fractions and integers |
| M08_05 | Evaluates an expression with a square root and two variables with exponents |
| M08_07 | Solves a multi-step word problem involving linear inequalities |
| M11_06 | Identifies an equation that models a situation |
| M02_05 | Evaluates an expression with two variables |
| M03_07 | Identifies an algebraic expression that represents the perimeter of an irregular shape |
| M04_06 | Evaluates an equation with three variables |
| | |



| M07_06 | Evaluates the power of an expression given its value |
|----------|---|
| M11_07 | Identifies an expression for the area of part of a geometric figure |
| M13_05 | Solves a linear equation in two-variables given the value of one variable |
| M01_07A | Extends a given geometric pattern to find the value of the 10th term |
| M03_08 | Determines a missing coordinate for a linear relationship given in a table |
| M04_08A | Extends a given geometric pattern to supply the value of the 10th term |
| M11_08 | Uses values for a linear function to determine an extrapolated value |
| M13_07 | Identifies the true statement about a linear relationship given in a graph |
| Geometry | |
| M02_11 | Compares properties of two open cylinders made by rolling the same rectangle in different directions |
| M02_12 | Determines the coordinates of a trapezoid's missing vertex given a congruent trapezoid in the Cartesian plane |
| M03_10 | Finds the coordinates of a midpoint given two points in the Cartesian plane |
| M03_12 | Draws rectangle on square grid given area and perimeter (1 of 2 points) |
| M05_10 | Identifies the value of an angle involving properties of corresponding and supplementary angles |
| M07_10 | Solves a problem involving similar triangles |
| M08_09A | Determines the area of a parallelogram given its base and height |
| M08_09B | Uses the Pythagorean theorem to solve for a side length of a parallelogram and calculates the perimeter (1 of 2 points) |
| M08_10 | Completes a parallelogram in the Cartesian plane given three of its vertices |
| M09_09 | Recognizes congruent quadrilaterals |
| | |



| M13_08A | Solves a word problem involving the length around a hexagonal prism |
|----------------|--|
| M13_09 | Determines the number of exposed faces for unit-cubes that make up a larger cube (1 of 2 points) |
| M01_11 | Solves a problem involving angles of a triangle |
| M10_13 | Identifies the net of a triangular prism |
| M11_09 | Identifies the reflection of a partly shaded shape |
| M12_10 | Solves a two-step word problem involving volume of a rectangular prism and cost |
| Data and Proba | ability |
| M02_13 | Computes the mean of five positive and negative values |
| M02_14 | Identifies an appropriate graph for three different types of data |
| M06_13A | Computes the mean of four given values |
| M08_11A | Determines the mean value of data represented by four bars in a bar graph |
| M10_14 | Identifies relevant considerations for systematic data collection |
| M12_14A | Computes the mean of five six-digit numbers |
| M14_14 | Estimates the value of a bar in a bar graph without a scale given the value of another bar |
| M01_13B | Uses and interprets data sets in pie charts to solve a problem involving percentages |
| M08_12 | Estimates the probability of an event given an observed sample |
| M11_14 | Draws a spinner that has given probabilities |
| M12_13 | Estimates the probability of an event given an observed sample |
| M06_12 | Estimates the number of objects in a given probability sample |
| | |



| | Items at Advanced International Benchmark (625) |
|---------|--|
| Number | |
| M02_01 | Recognizes true or false statements based on properties of operations |
| M03_02 | Solves a two-step word problem involving whole numbers |
| M04_01 | Identifies numbers that are perfect squares |
| M04_02 | Analyzes truth of statements about the properties of a whole number |
| M05_05B | Solves a non-routine word problem involving whole numbers |
| M06_04 | Uses four different digits to write two two-digit numbers with the smallest product |
| M08_01 | Justifies that a given number satisfies a condition for its parity and factors |
| M12_01 | Determines two integers that satisfy two conditions involving their sum and product |
| M07_02 | Identifies a prime number |
| M13_01 | Identifies an expression equivalent to a given multiplicative expression |
| M02_03 | Solves a multi-step problem involving addition and subtraction of fractions |
| M08_03 | Determines the missing value in a multiplication sentence involving fractions |
| M10_02 | Determines the location of the product of two fractions on a number line |
| M12_02 | Orders fractions and decimals |
| M12_04 | Determines the denominator that makes the sum of a fraction and a whole number equivalent to a decimal |
| M14_03 | Uses four different digits to write two fractions with the largest product |





| M02_02 | Identifies the location of a fraction on a number line |
|---------|---|
| M01_02B | Solves a word problem involving percentages and elapsed time |
| M05_03 | Solves a two-step word problem involving percentages |
| M06_03 | Determines the dimensions of a rectangle that is similar to a given rectangle |
| M08_04 | Recognizes fractions and decimals equivalent to a given percentage |
| M09_02 | Given the volume of a fraction of a container, determines the total volume for multiple containers of the same size |
| M09_03 | Solves a word problem involving price per unit and explains reasoning |
| M11_03 | Completes a table of equivalent proportions and percentages (2 of 2 points) |
| M11_03 | Partially completes a table of equivalent proportions and percentages (1 of 2 points) |
| M11_04 | Solves a word problem involving ratios |
| M12_05 | Solves a word problem involving ratios |
| M13_03 | Identifies a percentage using a given ratio |
| M07_05 | Identifies a true statement about percentages of given numbers |
| Algebra | |
| M02_08 | Constructs a linear equation for the perimeter of a triangle and solves for the length of one side |
| M05_06 | Identifies an equivalent algebraic expression |
| M05_08 | Uses a given formula involving fractions to solve a word problem |
| M06_08 | Constructs a linear equation for the perimeter of a rectangle and finds the area (2 of 2 points) |
| M06_08 | Constructs a linear equation for the perimeter of a rectangle and finds the area (1 of 2 points) |
| | |





| M08_06 | Identifies an inequality that represents the relationship between the areas of two rectangles |
|---------|--|
| M09_05 | Simplifies an algebraic expression |
| M09_08 | Constructs a linear equation for the perimeter of a triangle and solves for the length of one side |
| M10_07 | Adds two expressions with two variables and simplifies the result |
| M12_07 | Identifies a simplified expression equivalent to a given expression with parentheses |
| M14_08 | Identifies a simplified expression equivalent to a given expression with fractions and two variables |
| M14_09 | Identifies a pair of linear equations in two variables that represent a situation |
| M01_05 | Identifies an algebraic expression that represents the area of a given rectangle |
| M02_06 | Identifies an expression with parentheses equivalent to a given expression without parentheses |
| M04_07B | Identifies an inequality that represents a situation |
| M06_05 | Identifies an expression that represents a situation |
| M10_08 | Solves a word problem involving evaluating a formula with an exponent |
| M01_08 | Identifies the graph of a linear equation |
| M04_08B | Constructs an expression for the nth term of a geometric pattern |
| M05_09 | Demonstrates an understanding of slope by relating graphs and their equations |
| M06_06 | Constructs a linear equation to represent a situation |
| M08_08B | Extends a given geometric pattern to supply the value of the 50th term |
| M09_06 | Retrieves coordinate points from a graph of a function |
| M10_10 | Constructs an equation to describe the relationship between two quantities |
| | |



| M12_09A | Extends a given geometric pattern to supply the value of the 5th term |
|----------|--|
| M12_09B | Constructs an expression for the nth term of a geometric pattern |
| M13_06 | Identifies the slope of a line given its equation |
| M02_09 | Identifies a point that is collinear with three given collinear points |
| M03_06 | Identifies a line with positive slope |
| Geometry | |
| M01_10 | Determines the surface area of a prism given the dimensions of its net |
| M03_09 | Uses properties of triangles and quadrilaterals to solve for an angle |
| M03_12 | Draws rectangle on square grid given area and perimeter (2 of 2 points) |
| M04_09 | Draws the image of a triangle translated horizontally and vertically on in the Cartesian plane |
| M04_10 | Solves a two-step problem involving the area of a triangle inscribed in a square (2 of 2 points) |
| M04_10 | Solves a two-step problem involving the area of a triangle inscribed in a square (1 of 2 points) |
| M05_11 | Draws an angle of a given measure on a square grid |
| M06_10 | Finds vertices of triangles created from trapezoids in the Cartesian plane (1 of 2 points) |
| M06_11 | Uses properties of supplementary angles to solve for an angle |
| M07_09 | Draws all lines of symmetry on a regular polygon |
| M10_11 | Determines the area of a square given the side length of a regular hexagon with the same perimeter |
| M10_12 | Solves a word problem involving circles and similar triangles |
| M11_10 | Determines the number of faces of a solid with unit cubes removed |
| | |





| M12_11 | Solves for a missing side length given two similar triangles in context |
|----------------|---|
| M13_08B | Solves a word problem involving the lateral surface area of a hexagonal prism |
| M13_10 | Solves a word problem involving the Pythagorean theorem |
| M14_11 | Uses properties of corresponding and supplementary angles to solve for an angle in a geometric figure |
| M14_12 | Justifies that a right triangle and obtuse triangle with the same base and height have the same area |
| M14_13 | Determines the surface area of a rectangular prism given its length, width, and height |
| M09_10 | Finds the coordinates of a vertex of a rectangle given the other three vertices |
| Data and Proba | ability |
| M01_13A | Uses and interprets data sets in pie charts to solve a problem involving percentages |
| M04_11 | Identifies relevant considerations for systematic data collection |
| M06_13B | Determines the change in a mean given changes in individual scores |
| M07_14 | Justifies a conclusion resulting from comparing two distributions |
| M09_12A | Calculates mean and median for two ordered list of data (2 of 2 points) |
| M14_16 | Explains the change in a mean given changes in individual values |
| M07_13 | Interprets data in a pictograph to solve a multi-step problem |
| M11_13 | Interprets a histogram to identify a proportion |
| M14_15 | Identifies the optimal data display to answer a given question |
| M03_14B | Compares observed and expected values |
| M04_12A | Computes the probability of an event given the number of each type of object in a set |
| | |





| M04_12B | Computes the probability of an event given the number of each type of object in a set |
|---------|---|
| M09_13 | Solves a multi-step problem involving probability |
| M13_13 | Identifies the conditional probability of an event |

| | Items Above Advanced International Benchmark (625) |
|---------|---|
| Number | |
| M02_01 | Recognizes equivalent expressions based on properties of operations (2 of 2 points) |
| M09_04 | Given four different containers, identifies the container with the greatest fraction filled |
| M04_05 | Given a ratio in a table, completes two equivalent ratios with one part missing in each |
| Algebra | |
| M03_05 | Identifies the equivalent form of a linear inequality in one variable |
| M07_07 | Identifies an algebraic expression involving parentheses and negative terms |
| M07_08 | Solves a pair of simultaneous linear equations |
| M11_05 | Identifies equivalent rational expressions |
| M01_07B | Gives a rule for the nth term of a geometric pattern |
| M08_08C | Constructs an expression for the nth term of a geometric pattern |
| M09_07 | Determines a collinear point given another point on the line and the slope |
| | |



| Geometry | |
|---------------|---|
| M01_09 | Identifies the image of a shape after rotation and reflection |
| M03_11 | Solves for a missing side length given two similar triangles |
| M06_09 | Estimates area of an irregular shape on a square grid |
| M06_10 | Finds the coordinates of the vertices of triangles created from trapezoids in the Cartesian plane |
| M07_11 | Solves a multi-step word problem involving ratios between volumes |
| M08_09B | Uses the Pythagorean theorem to solve for a side length of a parallelogram and calculates the perimeter (2 of 2 points) |
| M09_11 | Explains why two shaded areas of overlapping congruent triangles are equal |
| M12_12 | Solves a word problem involving a quarter of the circumference of a circle (2 of 2 points) |
| M12_12 | Solves a word problem involving a quarter of the circumference of a circle (1 of 2 points) |
| M13_09 | Determines the number of exposed faces for unit-cubes that make up a larger cube (2 of 2 points) |
| Data and Prob | ability |
| M02_15 | Explains why a statement about data in a bar graph with a y-axis scale that does not start at 0 is incorrect |
| M03_13 | Compares characteristics of two dot plots to justify a conclusion |
| M05_13 | Explains why a data representation could be misleading |
| M08_11B | Converts the value of a bar in a bar graph to a percent |
| M10_15 | Compares data in two pie charts with different totals to refute a conclusion |
| M11_12 | Solves a word problem involving averages |
| | |